

DjouambiRayane

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	29.00	57.50	60.00	63.50	70.80	75.00	81.00	87.50	93.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	19.00	48.00	50.50	57.00	64.00	70.00	77.40	84.00	90.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	40.00	53.00	67.00	79.00	82.00	85.00	88.00	94.00	95.50	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	51.40	62.00	74.40	78.50	80.00	90.00	91.50	93.00	96.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

BoumendjelOumaima

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	23.00	47.50	57.00	60.80	69.00	74.00	81.00	88.00	92.00	97.00	97.00	97.00

1er Essai Q = 50l/h												
Niveau L (cm)	51.40	62.00	74.40	78.50	80.00	90.00	91.50	93.00	96.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bouzhah Youssouf

N° de prise de pres	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00

1er Essai Q = 150l/h

Niveau L (cm)	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 100l/h

Niveau L (cm)	0.00	74.70	0.00	0.00	69.80	0.00	75.30	87.40	0.00	0.00	0.00	0.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 80l/h

Niveau L (cm)	0.00	0.00	0.00	0.00	79.80	83.70	0.00	92.80	0.00	0.00	0.00	0.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 50l/h

Niveau L (cm)	0.00	0.00	0.00	0.00	83.70	0.00	89.80	92.70	95.50	0.00	0.00	0.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bellatar Souheyr

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50

Niveau L (cm)	42.50	52.00	65.50	76.25	79.50	83.25	87.50	93.75	95.05	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	52.70	62.85	71.20	77.25	79.75	87.00	89.25	92.25	95.50	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Chouarfa Imane

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	25.00	52.50	57.50	62.50	69.00	74.85	81.85	88.00	92.35	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	16.00	47.75	56.00	64.90	69.75	75.40	75.25	87.35	93.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	53.00	61.00	70.50	76.50	79.75	83.75	88.00	92.75	94.80	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	64.00	71.60	76.50	81.00	83.75	87.00	89.75	92.75	95.25	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Benzahra Fatima

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
-------------------------	------	------	------	------	------	------	------	------	------	------	-------	-------

Niveau L (cm)	25.00	51.75	57.50	61.90	69.00	74.85	81.85	88.00	92.35	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	53.00	61.00	70.50	76.50	79.75	83.75	88.00	92.75	94.80	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	64.00	71.60	76.50	81.00	83.75	87.00	89.75	92.75	95.25	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bentayeb Akrem

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	17.00	46.00	49.75	55.65	62.00	68.50	74.70	83.75	91.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	26.00	52.50	58.50	62.15	69.90	74.50	81.00	87.75	92.50	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	42.50	52.00	65.50	76.25	79.50	83.25	87.50	93.75	95.05	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	52.70	62.85	71.20	77.25	79.75	87.00	89.25	92.25	95.50	97.00	97.00	97.00

Pression Dyn P (cm)													
P.d.c. (cm)													

Akroum Ghouzlane

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00

1er Essai Q = 150l/h

Niveau L (cm)	27.00	54.63	58.75	62.70	69.90	74.93	81.43	87.75	92.68	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 100l/h

Niveau L (cm)	17.50	61.35	53.25	60.95	66.90	72.70	76.35	85.70	91.50	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 80l/h

Niveau L (cm)	46.50	57.00	68.75	77.75	80.90	84.35	88.00	93.40	95.15	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

1er Essai Q = 50l/h

Niveau L (cm)	57.70	66.80	75.45	79.75	81.85	88.50	90.65	92.85	95.75	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bagbagui Sarra

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00

Niveau L (cm)	28.50	57.13	59.50	63.38	70.35	75.18	81.43	87.63	92.93	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	18.50	48.88	53.63	61.63	67.88	73.45	77.68	85.80	91.00	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	45.25	57.50	69.50	79.13	82.13	85.25	88.25	93.50	95.38	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	57.05	66.38	77.05	80.38	82.00	90.00	91.75	93.25	95.88	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Belaidi Mouaadh

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	27.50	55.00	59.25	62.83	70.35	74.75	81.00	87.63	92.75	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	18.00	47.00	50.13	56.33	63.00	69.25	76.05	83.88	90.50	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	41.25	52.50	66.25	77.63	80.75	84.13	87.75	93.88	95.28	97.00	97.00	97.00

Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	27.00	55.00	58.75	63.00	69.90	74.93	81.43	87.75	92.68	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	23.50	52.38	54.75	60.13	66.95	72.68	79.63	85.88	91.43	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	45.25	57.50	69.50	79.13	82.13	85.25	88.25	93.50	95.38	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	57.05	66.38	77.05	80.38	82.00	90.00	91.75	93.25	95.88	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bouabdallah Wissame

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	27.00	54.63	58.75	62.70	69.90	74.93	81.43	87.75	92.68	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	17.50	47.88	53.25	60.95	66.88	72.70	76.33	85.68	91.50	97.00	97.00	97.00

Boubakeur Asma

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	26.50	54.63	58.25	62.88	69.45	75.10	81.85	87.88	92.60	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	23.00	53.25	57.88	64.75	70.83	76.13	79.90	87.68	92.43	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	50.50	62.00	72.00	79.25	82.25	85.50	88.50	93.00	95.25	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	62.70	70.75	79.70	82.25	84.00	90.00	92.00	93.50	95.75	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bouhennache Fateh

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	26.50	54.25	58.25	62.58	69.45	75.10	81.85	87.88	92.60	97.00	97.00	97.00

Niveau L (cm)	41.88	52.25	65.88	76.94	80.13	83.69	87.63	93.81	95.16	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	52.38	62.64	72.00	77.56	79.81	87.75	89.81	92.44	95.63	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Bouzhaha Mohamed-Amin

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	26.50	53.75	58.63	62.58	69.90	74.71	81.21	87.75	92.59	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	17.25	46.94	51.50	58.30	64.44	70.60	75.51	84.71	91.25	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	44.50	54.50	67.13	77.00	80.19	83.81	87.75	93.56	95.10	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	55.20	64.83	73.33	78.50	80.81	87.75	89.94	92.56	95.56	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Boutler Lila

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
-------------------------	------	------	------	------	------	------	------	------	------	------	-------	-------

Niveau L (cm)	20.50	49.75	56.75	63.40	69.38	75.13	78.55	87.68	92.68	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	53.00	61.00	70.50	76.50	79.75	83.75	88.00	92.75	94.80	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	64.00	71.60	76.50	81.00	83.75	87.00	89.75	92.75	95.25	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												

Krine Mohamed

N° de prise de pression	0.00	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00
Hauteur de la prise e (cm)	0.00	23.00	33.00	35.50	38.00	40.50	43.00	45.50	48.00	50.50	55.50	60.50
Pression statique Hn (cm)	97.00	74.00	64.00	61.50	59.00	56.50	54.00	51.50	49.00	46.50	41.50	36.50
Hauteur de sable (cm)	34.00	26.00	16.00	13.50	11.00	8.50	6.00	3.50	1.00	0.00	0.00	0.00
1er Essai Q = 150l/h												
Niveau L (cm)	21.00	49.25	53.63	59.08	65.50	71.68	78.28	85.88	91.68	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 100l/h												
Niveau L (cm)	21.00	50.13	57.25	63.53	69.83	74.95	78.13	87.55	92.75	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 80l/h												
Niveau L (cm)	47.75	56.50	68.00	76.38	79.63	83.50	87.75	93.25	94.93	97.00	97.00	97.00
Pression Dyn P (cm)												
P.d.c. (cm)												
1er Essai Q = 50l/h												
Niveau L (cm)	58.35	67.23	73.85	79.13	81.75	87.00	89.50	92.50	95.38	97.00	97.00	97.00

