

**Abdelhafid Boussouf  
University  
Center of Mila**



**Structure of Computers  
and Applications  
1st year ST – ENGINEERING**

## ➔ **Part 2: The basics of Algorithm and Program**

### **Course 10: CONTROL STRUCTURES / STATEMENTS**

#### **II. Loop Statements** By


**Dr. Farouk KECITA**

Academic year : 2024/2025

## Introduction

- Loop: it is a block of statement that performs set of instructions.
- In loops Repeating particular portion of the program either a specified number of time or until a particular no of condition is being satisfied.
- ❖ **There are mainly two types of loops in C Programming:**
  - **Entry Controlled loops:** The test condition is checked before entering the main body of the loop. **For Loop** and **While Loop** is Entry-controlled loops.
  - **Exit Controlled loops:** The test condition is evaluated at the end of the loop body. The loop body will execute at least once, irrespective of whether the condition is true or false. **do-while Loop** is Exit Controlled loop.

# Introduction



unstop

## Loops



GG

## Introduction

Loop Type	Description
<b>for loop</b>	first Initializes, then condition check, then executes the body and at last, the update is done.
<b>while loop</b>	first Initializes, then condition checks, and then executes the body, and updating can be inside the body.
<b>do-while loop</b>	do-while first executes the body and then the condition check is done.


# 1. for Loop

- **for loop** in C programming is a **repetition control** structure that allows programmers to write a loop that will be executed a **specific number of times**.
- **for loop** enables programmers to perform **N** number of **steps** together in a **single** line.
- ❖ **Syntax of for Loop in C:**

```
for (initialize expression; test expression; update expression)
{
body of for loop;
}
```

# 1. for Loop

- ❖ **for loop Equivalent Flow Diagram:**
- ❖ **How for loop works?**
  - The initialization statement is executed only once.
  - Then, the test expression is evaluated. If the test expression is evaluated to false, the for loop is terminated.
  - However, if the test expression is evaluated to true, statements inside the body of for loop are executed, and the update expression is updated.
  - Again the test expression is evaluated.
  - This process goes on until the test expression is false. When the test expression is false, the loop terminates.



# 1. for Loop

**Example 1:** C Program to Print “Hello World” 4 times using For Loop

```
1 /*C Program to Print Hello
2 World 4 times using For Loop*/
3 #include <stdio.h>
4 int main() {
5     int i;
6     for (i = 1; i <= 4; i++)
7     {
8         printf( "Hello World\n");
9     }
10    return 0;}
```

Output:  
Hello World  
Hello World  
Hello World  
Hello World

**Example 2:** Write a C program to print all even numbers between 1 to 10.

```
1 /*C program to print all even
2 numbers between 1 to 10 */
3 #include<stdio.h>
4 int main(){
5     int i;
6     for (i=1;i<=10;i++){
7         if(i%2==0){
8             printf("%d\n",i);
9         }
10    }
11 }
```

Output:  
2  
4  
6  
8  
10

## 2. while loop

- While loop does **not depend** upon the **number of iterations**.
- In for loop the number of iterations was previously **known** to us but in the While loop, the execution is terminated on **the basis** of the **test condition**.
- If the test condition will become **false** then it will **break** from the while loop **else body** will be **executed**.

### ❖ Syntax of while Loop in C:

```
initialization_expression;  
while (test_expression)  
{  
body of the while loop;  
update_expression;  
}
```




## 2. while loop

### ❖ while loop Equivalent Flow Diagram:

### ❖ How while loop works?

- Here, **statement(s)** may be a single statement or a block of statements.
- The **condition** may be any expression, and **true** is any nonzero value.
- The loop **iterates** while the condition is **true**.
- When the condition becomes **false**, the program control passes to the **statement immediately** following the loop.
- The key point to note is that a **while loop** might **not execute at all**. When the condition is tested and the result is **false**, the loop body will be **skipped** and the first statement after the **while loop** will be **executed**.



## 2. while loop

**Example 1:** C Program to Print “Hello World” 4 times using while Loop

```
1 /*C Program to Print Hello
2 World 4 times using while L*/
3 #include <stdio.h>
4 int main() {
5     int i=1;
6
7     while (i <= 4 )
8     {
9         printf( "Hello World\n");
10        i++;
11    }
12    return 0;}
```

Output:  
Hello World  
Hello World  
Hello World  
Hello World

**Example 2:** Write a C program to print all even numbers between 1 to 10.

```
1 /*C program to print all even
2 numbers between 1 to 10 */
3 #include<stdio.h>
4 int main(){
5     int i=0;
6     while (i<=10){
7         if(i%2==0){
8             printf("%d\n",i);
9         }
10        i++;
11    }
12    return 0; }
```

Output:

0  
2  
4  
6  
8  
10

### 3. do...while Loop

- The **do...while** in C is a loop statement used to repeat some part of the code till the given **condition is fulfilled**.
- It is a form of an exit-controlled or post-tested loop where the **test condition** is checked **after executing** the body of the loop.
- Due to this, the statements in the **do...while** loop will always **be executed at least once** no matter what the condition is.
- When you need to execute statements **at least for once** irrespective of the **result of the condition** then you have to use **do...while** loop.
- Unlike **while** loop, in which condition is checked at the **top of the loop**; in **do...while**, condition is checked **at the bottom**.

## 3. do...while Loop

### ❖ Syntax of do...while Loop in C


```
do {  
body of do...while loop ;  
}
```

**while** (*condition*);

### ❖ while loop Equivalent Flow Diagram: →

### ❖ How do ... while loop works?

- When the program control first comes to the do...while loop, the body of the loop is executed first and then the test condition/expression is checked.



## 3. do...while Loop

- When the test condition is evaluated as **true**, the program control goes to the **start** of the loop and the body is executed **once more**.
- The above process **repeats** till the test condition is **true**.
- When the test condition is evaluated as **false**, the program controls move on to the **next** statements after the do...while loop.

**Example:** Write a C Program to Print

“Hello World” 5 timed using do...while Loop.

**Out put:** Hello World

Hello World

Hello World

Hello World

Hello World

```
/* C Program to Print "Hello World"
4 timed using while Loop*/
#include <stdio.h>
int main() {
// loop variable declara.. and init..
    int i = 1;
    // do while loop
    do {
        printf("Hello World\n");
        i++;
    }
    while (i <= 5);
    return 0; }
```